



ORGANIZATORI

**Profesioniștii
între ei**

Conferințele Media Makers



Conferința

MANAGEMENTUL RISCULUI DE SECURITATE ȘI PREVENIREA DEZASTRELOR

București, 17 Martie 2016
Hotel Phoenicia / Sala Kadisha

PARTENER PRINCIPAL



Astal
Security Technologies



Asociația pentru
Securitate la
Incendiu



PARTENERI MEDIA




SECURITY P-R T A L

***EVALUAREA
RISCOLUI LA
SECURITATE FIZICĂ***



Astal
Security Technologies



Texecom
Designed to Perform

Premier Elite Series

All products in the Premier Elite range comply with the requirements of the European Standards and have all the necessary local approvals required for sale within Romania.

All of our equipment is designed, developed and approved for use in systems that are to comply with EN 50131-1 and EN50131-3

PRODUCT RANGES

Premier Elite Series



Premier Series



Veritas Series



Premier Elite Series

The Premier Elite Series represents the most advanced electronic Security solutions Texecom has to offer.

These products are designed to protect high value installations where design flexibility, product performance and integrated solutions are a priority.

- **BANKS**
- **MUSEUMS**
- **SCHOOLS**
- **HOSPITALS**
- **LUXURY HOMES**
- **HIGH VALUE RETAIL**
- **OFFICE BLOCKS**
- **COMMERCIAL BUILDINGS**
- **INDUSTRIAL UNITS**

RICOCHET


Ricochet wireless technology

Introducing the next generation of wireless security, Texecom's new RICOCHET mesh networking wireless technology delivers more performance than any other wireless security system.

RICOCHET enabled wireless devices receive and repeat wireless transmissions from other devices. The size, scalability and range of the entire system are extended as wireless signalling is no longer limited by point-to-point communications.


The range of a RICOCHET enabled wireless system is greater than previous systems, with multiple devices capable of relaying messages to and from even the most remote locations in a building

Premier Elite Series – Ricochet



Cover larger area's than ever before with wireless





Professional solution for your security systems

noVus[®]

- Much higher resolution = more information in the image
- That enables usage of digital zoom
- 24% wider image aspect ratio

Example 1



Analog



Full HD (2 MPX)

Example 2




D1 resolution



2 MPX resolution

Modernization of existing analog systems

- We keep the same wiring (coaxial RG 59, RG 6) and only replace the operating analog devices with their equivalents in AHD technology



Advanced functions

WDR - Wide Dynamic Range



WDR off

WDR on

DNR - Digital Noise Reduction



DNR off

DNR on

F-DNR - Defog Function



F-DNR off

F-DNR on

DSS - Digital Slow Shutter



DSS off

DSS on

HLC - High Light Compensation



HLC off

HLC on

IR smart Function



IR smart off


IR smart on

and motion detection, 4 privacy zones

- Small amount of IP cameras
- Multiple NMS clients through local network and Internet
- Integrated DSC alarm system



- Large amount of IP cameras
- Multiple NMS servers, disk arrays, NMS backup servers for recorded video
- Up to 4 monitors in the monitoring centre



Comparison of IP cameras series

7000 SERIA IP

- **Resolution:**
2 Mpx, 3 Mpx and 5 Mpx
- **Frame rate:**
30 fps @ 2 Mpx
15 fps @ 3 Mpx
10 fps @ 5 Mpx
- **Mechanical IR cut filter or electronic D/N function**
- **4 streams**
- **DSS**
- **WDR**
- **IR LED (selected models)**
- **Heater(selected models)**
- **Power supply: PoE ,12 VDC and 24 VAC**

5000 SERIA IP

- **Resolution:**
1.3 Mpx, 2 Mpx, 3 Mpx and 5 Mpx
- **Frame rate:**
30 fps @ 1.3 Mpx & 2 Mpx
20 fps @ 3 Mpx
10 fps @ 5 Mpx
- **Mechanical IR cut filter**
- **3 streams**
- **DSS**
- **IR LED**
- **Power supply: PoE and 12 VDC**

3000 SERIA IP

- **Resolution:**
1.3 Mpx, 2 Mpx
- **Frame rate:**
30 fps @ 1.3 Mpx & 2 Mpx
- **Mechanical IR cut filter**
- **2 streams**
- **WDR**
- **IR LED**
- **Power supply: PoE and 12 VDC**


● ● ● IS

VENO

INTEGRATION SYSTEM

Effective safety management in facility

VENO software integrates fire alarm, intruder alarm, CCTV and access control systems, thus ensuring a higher degree of protection in the facility than each system separately



Wide range of applications

There are no limits to the number of devices working in fire alarm, intruder alarm, CCTV and access control systems, or to the number of operators. VENO is perfect solution for large multi-site facilities, as well as for smaller installations



One common interface for all systems

- Higher efficiency of the safety management
- Standardized alarm notification



- Alarm notification - VENO enables verification and management of alarms incoming from all systems; to exclude a situation when the operator misses a notice, it disappears only after alarm confirmation



VINO 1.2.47 (Administrator: root)

Brak aktywnych alarmów

OBIEKT PRZEMYSŁOWO-BIUROWY

Połączony

12:54:28, 10.02.2014 Połączono z Klientem (Local - IP#127.0.0.1)

Rozłączony

12:55:06, 10.02.2014 Klient rozłączony (Local)

Wyjście wyłączone(Wyjście przekątnikowe 2)

13:51:28, 10.02.2014 Wyjście wyłączone

Alarm skasowano(Polon45)

13:51:08, 10.02.2014 Alarm skasowano

Potwierdzenie alarmu(Polon45)

13:51:26, 10.02.2014 Wszystko potwierdzono

Wyjście włączone(Wyjście przekątnikowe 2)

13:51:34, 10.02.2014 Wyjście włączone

Wyjście wyłączone(Wyjście przekątnikowe 2)

13:50:25, 10.02.2014 Wyjście wyłączone

Alarm skasowano(Polon45)

13:50:25, 10.02.2014 Alarm skasowano

Potwierdzenie alarmu(Polon45)

13:50:11, 10.02.2014 Wszystko potwierdzono

Wyjście włączone(Wyjście przekątnikowe 2)

13:50:04, 10.02.2014 Wyjście włączone

Komenda użytkownika(root)

KAMERY ZEWNĘTRZNE

WIDOK - SZLABAN

Otwórz szlaban

Zamknij szlaban

MULȚUMIM!

Vă stăm la dispoziție pentru întrebări!